

# oraimo

smart accessories

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
Power Bank	OPB-P118D		Battery Cell Type: Lithium Polymer Battery Capacity:10000mAh (37 Wh) Input 1 (Micro-USB): 5V 2A Input 2 (Type-C): 5V 2A AniFast Output 1 (USB-A): 5V 2.4A (Max) Output 2 (USB-A): 5V 2.1A (Max)	Battery Cell Type: Lithium Polymer Battery Capacity:10000mAh (37 Wh) Input 1 (Micro-USB): 5V 2A Input 2 (Type-C): 5V 2A AniFast Output 1 (USB-A): 5V 2.4A (Max) Output 2 (USB-A): 5V 2.1A (Max) Dimension: 149*69*15.5mm	Rp135,000	Rp259,000	28
Power Bank	OPB-P118DQ		Battery Cell Type: Lithium battery Capacity: 10000mAh (37Wh) Input 1(Micro USB): 5V/2A 9V 2A Input 2(Type-C): 5V/3A 9V 2A AniFast Output 1/ 2: 5V/3A ,9V 2A ,12V 1.5A Output 3 (Type-C): 5V/3A ,9V 2.22A ,12V 1.67A Dimensions: 149*69*15.5mm Color: Green / Dark gray	Battery Cell Type: Lithium battery Capacity: 10000mAh (37Wh) Input 1(Micro USB): 5V/2A 9V 2A Input 2(Type-C): 5V/3A 9V 2A AniFast Output 1/ 2: 5V/3A ,9V 2A ,12V 1.5A Output 3 (Type-C): 5V/3A ,9V 2.22A ,12V 1.67A Dimensions: 149*69*15.5mm Color: Green / Dark gray	Rp240,000	Rp359,000	20
Power Bank	OPB-P120D		Battery Type: Lithium Polymer Battery Capacity: 10000mAh (37 Wh) Input 1 (Micro-USB): 5V 2A Input 2 (Type-C): 5V 2A Output 1 (USB-A): 5V 2.4A (Max) Output 2 (USB-A): 5V 2.4A (Max) Dimension: 149mm X 69mm X 16.5mm	Battery Type: Lithium Polymer Battery Capacity: 10000mAh (37 Wh) Input 1 (Micro-USB): 5V 2A Input 2 (Type-C): 5V 2A Output 1 (USB-A): 5V 2.4A (Max) Output 2 (USB-A): 5V 2.4A (Max) Dimension: 149mm X 69mm X 16.5mm	Rp180,000	Rp299,000	28
Power Bank	OPB-P160D		Lithium Polymer Power Bank Capacity: 16000mAh (59.2Wh) Input (Micro-USB): 5V 2A Input (Type-C): 5V 2A Output 1 (USB-A): 5V 2.4A(Max) Output 2 (USB-A): 5V 2.1A(Max)	Lithium Polymer Power Bank Capacity: 16000mAh (59.2Wh) Input (Micro-USB): 5V 2A Input (Type-C): 5V 2A Output 1 (USB-A): 5V 2.4A(Max) Output 2 (USB-A): 5V 2.1A(Max)	Rp214,000	Rp299,000	12
Power Bank	OPB-P5101D		Capacity: 10000mAh (37Wh) Input 1 Micro:5V 2A Input 2 Type-C: 5V 2A Output USB-A : 5V 2.4A(Max) Output Micro Cable/Type-C Cable: 5V 2.1A Output Lightning Cable: 5V 2.4A Total Output: 5V 2.4A (Max) Black&Green	<b>Built-in Charging Cables</b> (With Lightning,Type-C&Micro-USB Cable) 12W Fast Charging <b>4 Outputs</b> Slim and Portable Widely Compatible AniFast technology	Rp159,000	Rp199,000	40
Power Bank	OPB-P204DQ		Capacity:20000mAh (74Wh) Input(Micro USB): 5V 2A,9V 2A, Input(Type-C): 5V 3A,9V 2A, Output(Type-C): 5V 3A,9V 2.2A,12V 1.5A Output 1(USB-A): 5V 3A,9V 2A,12V 1.5A Output 2(USB-A): 5V 3A,9V 2A,12V 1.5A Total Output: 5V 3A Gray	Capacity:20000mAh (74Wh) Input(Micro USB): 5V 2A,9V 2A, Input(Type-C): 5V 3A,9V 2A, Output(Type-C): 5V 3A,9V 2.2A,12V 1.5A Output 1(USB-A): 5V 3A,9V 2A,12V 1.5A Output 2(USB-A): 5V 3A,9V 2A,12V 1.5A Total Output: 5V 3A Gray	Rp225,000	Rp399,000	12
Power Bank	OPB-P205D		Battery Cell Type: Lithium battery Capacity: 20000mAh (74Wh) Input 1 (Micro USB): 5V-2A Input 2 (Type-c): 5V-2A Output 1 (USB): 5V 2.1A MAX. Output 2 (USB): 5V 2.1A MAX. Dimension: 148*69*28mm	Battery Cell Type: Lithium battery Capacity: 20000mAh (74Wh) Input 1 (Micro USB): 5V-2A Input 2 (Type-c): 5V-2A Output 1 (USB): 5V 2.1A MAX. Output 2 (USB): 5V 2.1A MAX. Dimension: 148*69*28mm	Rp285,000	Rp399,000	12
Charger	OCW-E65S		Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max Cable: Type: Micro USB Length: 1m	Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max Cable: Type: Micro USB Length: 1m	Rp38,000	Rp79,000	60
Charger	OCW-E65S+L53		Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max Cable: Type: Lightning Length: 1m	Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max Cable: Type: Lightning Length: 1m	Rp42,000	Rp85,000	60
Charger	OCW-E66S+M53		Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Micro-USB Length: 1m	Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Micro-USB Length: 1m	Rp39,000	Rp89,000	50
Charger	OCW-E66S+C53		Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Type-C Length: 1m	Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Type-C Length: 1m	Rp42,000	Rp89,000	50
Charger	OCW-E66S+L53		Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Lightning Length: 1m	Charger: Model: OCW-E66S Input: 100-240V-50/60Hz, 0.35A Output: 5.0V = 2.0A 10.0W Cable: Type: Lightning Length: 1m	Rp43,000	Rp89,000	50

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
Charger	OCW-E37SP		Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz Output: 5V 1.2A Cable: Type: Micro-USB Length: 1m	Charger: Plug Type: Europe Type Input: 100-240V~ 50/60Hz Output: 5V 1.2A Cable: Type: Micro-USB Length: 1m	Rp24,000	Rp39,000	100
Charger	OCW-E94D+M53		PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Micro-USB Length: 1m	PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Micro-USB Length: 1m	Rp85,000	Rp199,000	54
Charger	OCW-E94D+C53		PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Type-C Length: 1m	PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Type-C Length: 1m	Rp87,000	Rp199,000	54
Charger	OCW-E94D+L53		PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Lightning Length: 1m Output: 2A	PE2.0 QC3.0 PD3.0 Compatible ; Charger: Plug Type:Europe Type Input: 100-240V/50-60Hz Output: 5V3A/9V2A/12V1.5A Cable: Type: Lightning Length: 1m Output: 2A	Rp89,000	Rp199,000	54
Charger	OCW-E95S		20W PD Super Speed Charger : Plug Type:Europe Type Input:100-240v 50/60Hz Output:5V 3A/9v 2.22A/12V 1.67A No Cable	20W PD Super Speed Charger : Plug Type:Europe Type Input:100-240v 50/60Hz Output:5V 3A/9v 2.22A/12V 1.67A No Cable	Rp109,000	Rp199,000	100
Charger	OCW-E97S		Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Micro-USB Length: 1m	Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Micro-USB Length: 1m	Rp65,000	Rp99,000	50
Charger	OCW-E97S+C53		Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Type-C Length: 1m	Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Type-C Length: 1m	Rp69,000	Rp99,000	50
Charger	OCW-E97S+L53		Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Lightning Length: 1m	Plug Type: Europe Type Input: 100-240v 50/60Hz 600mA Output: 5V=3A / 9V=2A / 12V=1.5A Cable Type: Lightning Length: 1m	Rp71,000	Rp99,000	50
Charger	OCW-E96D		Charger Plug Type: Europe Type Input: 100-240V~ 50/60Hz 450mA Output1(Type-C): 5V 4.5A / 9V 2A / 12V 1.5A Output2(USB): 5V 3A / 9V 2A / 12V 1.5A Cable Type: Type-C Length: 1m Output: 5A	Charger Plug Type: Europe Type Input: 100-240V~ 50/60Hz 450mA Output1(Type-C): 5V 4.5A / 9V 2A / 12V 1.5A Output2(USB): 5V 3A / 9V 2A / 12V 1.5A Cable Type: Type-C Length: 1m Output: 5A	Rp114,000	Rp169,000	30
Charger	OCW-E63D		"Charger : Plug Type: UK type Input: 100-240V~ 50/60Hz Output: 5.0V 2.4A MAX Cable: Type: 5pin Length: 1m output: 2.4A"	Hottest Fast Charging Kit! 1)Output fast charging. 2.4A/12 watt. 2)Output dua port USB 3)Indikator LED 4)Sudah termasuk kabel Micro-USB berkualitas tinggi. 3)Desain kompak dan Premium 4)Multi-proteksi	Rp44,000	Rp99,000	108
Charger	OCW-E67DP		Charger: 10pcs Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2.4A Max	Charger: 10pcs Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2.4A Max	Rp250,000	Rp49,000	10
Charger	OCW-E65SP		Charger: 20pcs Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max	Charger:20pcs Plug Type: Europe Type Input: 100-240V~ 50/60Hz 350mA Output: 5.0V 2A Max	Rp575,000	Rp49,000	6
Charger	OCW-E100D		Charger: Plug Type: Europe Type Input: 100-240v 50/60Hz, 1.5A Output: USB-A: 5V3A, 9V2.78A, 12V2.08A Type-C: 5V3A OR 4-10V2.5A, 25W Max Cable: USB-A+Type-C Output: 5V3A	Charger: Plug Type: Europe Type Input: 100-240v 50/60Hz, 1.5A Output: USB-A: 5V3A, 9V2.78A, 12V2.08A Type-C: 5V3A OR 4-10V2.5A, 25W Max Cable: USB-A+Type-C Output: 5V3A	Rp169,000	Rp299,000	42

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
Charger	OCW-E101D		Charger: Plug Type: Europe Type Input: 100-240v 50/60Hz, 1.5A Output: USB-A: 5V3A, 9V3A, 12V2.5A, 20V1.5A Type-C: 5V3A OR 4-10V3.3A, 33W Max Cable: USB-A+Type-C Output: 5V4A	Charger: Plug Type: Europe Type Input: 100-240v 50/60Hz, 1.5A Output: USB-A: 5V3A, 9V3A, 12V2.5A, 20V1.5A Type-C: 5V3A OR 4-10V3.3A, 33W Max Cable: USB-A+Type-C Output: 5V4A	Rp175,000	Rp299,000	42
Charger	OCW-E102D		Input: 100-240V 50/60Hz, 1.2A Max Output1: 5V 2.4A 12W Max Output2: 5V 3A ,9V 3A , 12V 3A ,15V 3A , 20V 2.25A, 4-11V4, 1A, 11-21V 2.1-4.1A 45W Max PPS 3.1-11V 3A Output1+Output2: Output1: 5V 2.4A 12W Max Output2: 5V 3A,9V 3A, 15V 2A ,20V 1.5A 33W Max	Input: 100-240V 50/60Hz, 1.2A Max Output1: 5V 2.4A 12W Max Output2: 5V 3A ,9V 3A , 12V 3A ,15V 3A , 20V 2.25A, 4-11V4, 1A, 11-21V 2.1-4.1A 45W Max PPS 3.1-11V 3A Output1+Output2: Output1: 5V 2.4A 12W Max Output2: 5V 3A,9V 3A, 15V 2A ,20V 1.5A 33W Max	Rp269,000	Rp399,000	36
Charger	OCW-E103T		Input: 100-240V 50/60Hz, 1.5A Max Output1: 5V 3A ,V 3A, 12V 3A 36W Max SCP: 5V 4.5A ,4.5V 5A Output2: 5V 3A ,9V 3A , 15V 3A , 20V 3.25A, 4-11V 5.9A, 11-21V 3.1-5.9A 65W Max PPS 3.3-11V 5A Output3: 5V 3A, 9V 3A, 15V 3A, 20V 3.25A, 4-11V 5.9A,11-21V 3.1-5.9A 65W Max PPS: 3.3-11V 5A Output1+Output2+Output3 60W Max Output1+Output2: 15W Max Output1+Output3: 18W Max+45W Max Output2+Output3: 20W Max+54W Max	Input: 100-240V 50/60Hz, 1.5A Max Output1: 5V 3A ,V 3A, 12V 3A 36W Max SCP: 5V 4.5A ,4.5V 5A Output2: 5V 3A ,9V 3A , 15V 3A , 20V 3.25A, 4-11V 5.9A, 11-21V 3.1-5.9A 65W Max PPS 3.3-11V 5A Output3: 5V 3A, 9V 3A, 15V 3A, 20V 3.25A, 4-11V 5.9A,11-21V 3.1-5.9A 65W Max PPS: 3.3-11V 5A Output1+Output2+Output3 60W Max Output1+Output2: 15W Max Output1+Output3: 18W Max+45W Max Output2+Output3: 20W Max+54W Max	Rp295,000	Rp599,000	36
Charger	OCW-E106S+CL55		1. Brand: Oramio 2. Connector: 1 USB 3.Input: 100-240V 4.Output:5V-3A/9V2.22A/12V1.5A 5.Color: White 6.wiring : C TO L CABLE	1. Oramio non-destructive charging intelligent chip 2. Android, Apple, Kindle, Swich and other fully compatible 3. The use of the highest insulation grade of PC material, less heat, stronger fire rating, higher safety factor	Rp69,000	Rp89,000	90
car cahrger	OCC-21D		Connector: Dual USB Input: 12- 24V Output: DC5.0V/2.1A MAX	Hottest best seller! Best Value! Fashion Car Charger 1)Two -USB output. 2)2.1A Fast Charging 3)RING-LED indicator, very fashion design 4)Multi-protection	Rp27,000	Rp99,000	80
car cahrger	OCC-21DML		*Connector: Dual USB Input: 12-24V Output: DC 5V/2.1A Max Cable Output: 5V/2A Max Plug Type: Lightning & Micro USB Length: 1.2m"	Hottest best seller! Fashion Car Charger Lightning & Micro 2in1 Cable Included. 1)Two -USB output. 2)2.1A Fast Charging 3)RING-LED indicator, very fashion design 4)High quality 2in1 cable included. 5)Multi-protection	Rp43,000	Rp119,000	30
car cahrger	OCC-21D ULTRA		Connector: Dual USB Input: 12-24V Output1: 5V-2.4A Output2: 4.5V-5A,5V-2.4A, 5V-4.5A, 9V-2A,12V-1.5A Compatible device: Apple, Android smartphones, tablets and other USB-A devices	Fashion Car Charger 1)Two -USB output. 2)QC 3.0 quick charging 4.5V-5A,5V-2.4A, 5V-4.5A, 9V-2A,12V-1.5A 3)RING-LED indicator, very fashion design 4)Multi-protection	Rp56,000	Rp149,000	30
car cahrger	OCC-32D		Input: DC 12-24V Output 1(USB-A): 5V/0.5A Output 2(USB-A): 5V/3A, 9V/2A, 12V/1.5A FM Frequency: 87.5MHz ~ 108.0 MHz FM TX Frequency: 3m Available Distance: 5m Supported Formats: MP3/WMA/APE/WAV/FLAC Supported USB Flash Drive/TF Card Capacity: 32G	Input: DC 12-24V Output 1(USB-A): 5V/0.5A Output 2(USB-A): 5V/3A, 9V/2A, 12V/1.5A FM Frequency: 87.5MHz ~ 108.0 MHz FM TX Frequency: 3m Available Distance: 5m Supported Formats: MP3/WMA/APE/WAV/FLAC Supported USB Flash Drive/TF Card Capacity: 32G	Rp108,000	Rp199,000	21
car cahrger	OCC-72D		Input: DC 12 ~ 24V Output1 USB-A: 5V/3A, 9V/2A, 12V/1.5A Output2 Type-C: 5V/3A , 9V/2.22A, 12V/1.67A	Input: DC 12 ~ 24V Output1 USB-A: 5V/3A, 9V/2A, 12V/1.5A Output2 Type-C: 5V/3A , 9V/2.22A, 12V/1.67A	Rp77,000	Rp159,000	33
car cahrger	OCC-73D		Input: DC 12 ~ 24V Output1 USB-A: 5V/3A, 9V/2A, 12V/1.5A Output2 Type-C: 5V/3A, 9V/3A, 11V/2.72A	Input: DC 12 ~ 24V Output1 USB-A: 5V/3A, 9V/2A, 12V/1.5A Output2 Type-C: 5V/3A, 9V/3A, 11V/2.72A	Rp83,000	Rp179,000	33
Cable	OCD-M12		Type: Micro USB Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White 20pcs/CTN	Type: Micro USB Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White	Rp265,000	Rp39,000	5

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
Cable	OCD- C12		Type: Type-C Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White	Type: Type-C Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White	Rp323,200	Rp59,000	5
Cable	OCD-L12		Type: Lightning Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White	Type: Lightning Output: 5V 2A Length: 1m Color: Tranquil Green/Mysterious Blue/ Silk Lavender/ Black / White	Rp334,000	Rp69,000	5
Cable	OCD-M22		Output: 5V 2.1A Plug Type: Micro USB Length: 1m	Micro-USB cable 30 PCS each bottle High quality falt cable 5-color mix	Rp207,000	Rp39,000	6
Cable	OCD-L22		Output: 5V 2.1A Plug Type: Lightning Length: 1m	Lightning cable 30 PCS each bottle High quality falt cable 5-color mix	Rp410,000	Rp49,000	6
Cable	OCD-C22		Output: 5V 2.1A Plug Type: Type-C Length: 1m	Type-C cable 30 PCS each bottle High quality falt cable 5-color mix	Rp275,000	Rp49,000	6
Cable	OCD-113M		Specification Type: Micro USB Output: 5V 2.4A Length: 1m 20 pcs each bottle	Hi-Speed Syncing Universal Compatibility Incredibly Durable Tangle Free Better Hand Feel	Rp145,000	Rp19,900	16
Cable	OCD-113C		Specification Type: Type-C Output: 5V 2.4A Length: 1m 20 pcs each bottle	Hi-Speed Syncing Universal Compatibility Incredibly Durable Tangle Free Better Hand Feel	Rp215,000	Rp29,900	16
Cable	OCD-113L		Type: Lightning Output: 5V 2.4A Length: 1m 20 pcs each bottle	Hi-Speed Syncing Universal Compatibility Incredibly Durable Tangle Free Better Hand Feel	Rp280,000	Rp39,900	16
Cable	OCD-M29N		Type: Micro USB Output: 5.0V 2.1A Length: 1.5m	Type: Micro USB Output: 5.0V 2.1A Length: 1.5m	Rp17,000	Rp29,000	160
Cable	OCD-C29N		Type: TYPE C Output: 5.0V 2.1A Length: 1.5m	Type: TYPE C Output: 5.0V 2.1A Length: 1.5m	Rp18,000	Rp29,000	160
Cable	OCD-M32		Type: Micro-USB Output: 5V 2A Length: 1m	Type: Micro-USB Output: 5V 2A Length: 1m	Rp16,000	Rp29,000	60
Cable	OCD-C32		Type: Type-C Output: 5V 3A Length: 1m	Type: Type-C Output: 5V 3A Length: 1m	Rp21,000	Rp39,000	60
Cable	OCD-L32		Type: Lightning Output: 5V 2A Length: 1m	Type: Lightning Output: 5V 2A Length: 1m	Rp20,000	Rp29,000	60
Cable	OCD-M53		Type: Micro USB Output: 5V 2A Length: 1m	Kabel Original untuk Handphone 1)Type Steker: Micro-USB 2)Mendukung transfer data danfast charging 3)Material kuat, Super Tahan lama 4)2.1A fast charging	Rp14,000	Rp49,000	200
Cable	OCD-C53		Type: Type-C Output: 5V 2A Length: 1m	Type: Type-C Output: 5V 2A Length: 1m	Rp16,000	Rp29,000	112
Cable	OCD-L53		Type: Lightning Output: 5V 2A Length: 1m	Type: Lightning Output: 5V 2A Length: 1m	Rp17,000	Rp39,000	112
Cable	OCD-C54		Type: Type-C Output: 5V 3A Length: 1m	Type: Type-C Output: 5V 3A Length: 1m	Rp20,000	Rp49,000	112
Cable	OCD-C54P		Type: Type-C Output: 5V 3A <b>Length: 1.5m</b>	Type: Type-C Output: 5V 3A <b>Length: 1.5m</b>	Rp21,000	Rp59,000	112
Cable	OCD-CL54		Type: Type-C to Lightning Output: 5V 2.4A Length: 1m	Type: Type-C to Lightning Output: 5V 2.4A Length: 1m	Rp26,000	Rp69,000	112
Cable	OCD-C55		Type: Type-C Output: 5V 5A Length: 1m	Type: Type-C Output: 5V 5A Length: 1m	Rp25,000	Rp59,000	112

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
Cable	OCD-M72		Type: Micro-USB Output: 5V 2A Length: 1m	Type: Micro-USB Output: 5V 2A Length: 1m	Rp26,000	Rp59,000	60
Cable	OCD-C72		Type: Type-C Output: 5V 3A Length: 1m	Type: Type-C Output: 5V 3A Length: 1m	Rp31,000	Rp69,000	60
Cable	OCD-L72		Type: Lightning Output: 5V 2A Max Length: 1m	Type: Lightning Output: 5V 2A Max Length: 1m	Rp30,000	Rp79,000	60
Cable	OCD-D62		Type: Lightning & Micro USB Output: 5V 2A Max Length: 1m	Type: Lightning & Micro USB Output: 5V 2A Max Length: 1m	Rp30,000	Rp99,000	60
Cable	OCD-X93		Type: A to M/C/L 3 in 1 Output: 5V 3A Length: 1.2m	Type: A to M/C/L 3 in 1 Output: 5V 3A Length: 1.2m	Rp45,000	Rp109,000	96
Cable	OCD-M56		Type: Micro USB Output: 5V 2A Length: 2m	Type: Micro USB Output: 5V 2A Length: 2m	Rp20,000	Rp59,000	60
Cable	OCD-C56		Type: Type C Output: 5V 2A Length: 2m	Type: Type C Output: 5V 2A Length: 2m	Rp21,000	Rp69,000	60
Cable	OCD-CC82		Type: Type-C to Type-C Output: 20V 3.25A Length: 1m	Type: Type-C to Type-C Output: 20V 3.25A Length: 1m	Rp44,000	Rp69,000	60
Cable	OCD-CC11A		Type: Type-C to Type-C Output: 20V 5A Length: 3m	Type: Type-C to Type-C Output: 20V 5A Length: 3m	Rp66,000	Rp119,000	48
Cable	OCD-154CC		Type: Type-C to Type-C Output: 5V 3A Length: 1.5m	Type: Type-C to Type-C Output: 5V 3A Length: 1.5m	Rp23,000	Rp49,000	112
Cable	OCD-173CC		Type: C to C Output: 5A Length: 3m	Type: C to C Output: 5A Length: 3m	Rp67,000	Rp99,000	60
Cable	OAA-310		Specification Cable Length: 160mm Sample Rate: 24bit/48KHz Color: Black	1. Built-in DAC chip, loseless sound decoding and transimisson; 2. Ultra compatible with type-c devices (nealy 430 models); 3. supports earphone in-line control, music and call; 4. High Fidelity, Durability	Rp22,000	Rp39,000	200
earphone	OEP-E11		Cable Length: 1.2m Frequency Response: 20-20000Hz Impedance: 16 OMS Sensitivity: 95+/-3dB Plug Type: 3.5mm	Cable Length: 1.2m Frequency Response: 20-20000Hz Impedance: 16 OMS Sensitivity: 95+/-3dB Plug Type: 3.5mm Earphone Type: In ear	Rp19,000	Rp29,000	100
earphone	OEP-E21P		1.Driver unit : 10mm 2. Impedance : 16Ω 3. Frequency Response : 20-20kHz 4. Sensitivity : 103±3dB 5. Connector : 3.5mm 6. Cable Length : 1.2m 7.With "single Mic"	BEST Seller, "Suara Legendaris." 1) 20% speaker yang lebih besar menghadirkan bass yang kuat. 2) 12.5g sangat ringan 3) Desain ergonomis untuk pemakaian yang lebih nyaman. 4) Remote control untuk komunikasi dan bermain musik. 5) Mikrofon berkualitas tinggi yang menghadirkan panggilan definisi tinggi	Rp23,000	Rp59,000	60
earphone	OEP-E26		Cable length:1.2m Frequency response: 20-20000Hz Impedance: 16 OMS Sensitivity : 100+/-3db Plug Type: 3.5mm Earphone Type: In-ear	Cable length:1.2m Frequency response: 20-20000Hz Impedance: 16 OMS Sensitivity : 100+/-3db Plug Type: 3.5mm Earphone Type: In-ear	Rp37,000	Rp69,000	60
earphone	OEP-E40		Cable Length: 1.2m Weight: 15g Frequency Response: 20-20000Hz Impedance:16Ω Sensitivity: 96db±3dB Microphone: 42±3dB Plug Type: 3.5mm	Cable Length: 1.2m Weight: 15g Frequency Response: 20-20000Hz Impedance:16Ω Sensitivity: 96db±3dB Microphone: 42±3dB Plug Type: 3.5mm	Rp50,000	Rp89,000	100
earphone	OEP-E650		Cable length:1.2m Frequency response: 20-20000Hz Impedance: 32 OMS Plug Type: Type-C Earphone Type: Half-in-ear Material & Color: Plastic & Blue, Black	1. Airing design, painless to wear 2. Dynamic sound with 14.2mm driver 3. Three bottuon control, surport volume control; 4. Reliable and durable wire (20000 times bend test); 5. DAC chip, ultra compatible (430 models);	Rp40,000	Rp69,000	100

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
bluetooth earphone	OEB-E38S		BT Version: V5.0 BT Range: 10m Battery Capacity: 120mAh Charge Input: Type-C Standby Time: Up to 150 hours Talk Time: Up to 10 hours Play Time: Up to 12 hours	HD Voice 150-hr Standby Battery Life Reliable Connection 12-hr Play Time Secure Fit, All day Comfort Easy Control	Rp87,000	Rp149,000	40
bluetooth earphone	OEB-E30D		BT Version: V5.3 Wireless Range: 10m Battery Capacity: 120mAh Play Time: Up to 20 hours Input: Type-C	BT Version: V5.3 Wireless Range: 10m Battery Capacity: 120mAh Play Time: Up to 20 hours Input: Type-C	Rp165,000	Rp299,000	16
TWS bluetooth earphone	OTW-330		Bluetooth version: V5.3 Music time: Transmission distance: 10m Material: PC+ABS	over 40hrs Playtime havybass build in, oraimo signature sound ENC build in, clear calling Asap charging 10mins=180mins playtime Low-latency Gaming Mode IPX4 waterproof & Sweat Protection	Rp135,000	Rp169,000	20
TWS bluetooth earphone	OEB-E02D		BT Version: V5.0 Range: 10m Battery Playtime: 4.5 hrs on single charge; case provides additional 12 hrs Charge Input: Type-C Color: White, Black	BT Version: V5.0 Range: 10m Battery Playtime: 4.5 hrs on single charge; case provides additional 12 hrs Charge Input: Type-C ENC	Rp235,000	Rp349,000	12
TWS bluetooth earphone	OEB-E03D		BT Version: V5.0 Range: 10m Battery Playtime: 4 hrs on single charge; case provides additional 12 hrs Charge Input: Type-C	BT Version: V5.0 Range: 10m Battery Playtime: 4 hrs on single charge; case provides additional 12 hrs Charge Input: Type-C	Rp150,000	Rp259,000	20
TWS bluetooth earphone	OEB-E11D		BT Version: V5.2 Range: 10m Battery Playtime: 5 hrs on single charge; case provides additional 15 hrs Charge Input: Type-C	BT Version: V5.2 Range: 10m Battery Playtime: 5 hrs on single charge; case provides additional 15 hrs Charge Input: Type-C	Rp285,000	Rp399,000	10
TWS bluetooth earphone	OEB-E104DC		Bluetooth version: V5.3 Music time: 8+28 hrs Ear factor: In-ear and half in-ear Transmission distance: 10m Material: PC+ABS Color: Black, White	One Style, Two Fit 4-mic ENC, Clear Voice Thumping Bass APP Custom Tuning Up to 36-hr playtime IPX5 & Sweat Protection Gaming Mode	Rp289,000	Rp349,000	10
TWS bluetooth earphone	OEB-E105D		BT Version: V5.2 Wireless Range: 10m Playing time: Up to 8.5 hours; Case provides additional : 27 hours Input :Type-C	Active Noise Cancellation Oraimo signature sound Effortless with APP Customize your listening 35.5-hour long playtime	Rp419,000	Rp699,000	10
TWS bluetooth earphone	OEB-E108D		BT Version: V5.2 Range: 10m Battery Capacity: 70mAh(earbud), 510mAh(case) Music Playtime: Up to 13 hours; Case provides additional 30 hours (ANC OFF) Up to 9 hours; Case provides additional 23 hours (ANC ON) Case Input: Type-C	BT Version: V5.2 Range: 10m Battery Capacity: 70mAh(earbud), 510mAh(case) Music Playtime: Up to 13 hours; Case provides additional 30 hours (ANC OFF) Up to 9 hours; Case provides additional 23 hours (ANC ON) Case Input: Type-C	Rp810,000	Rp1,299,000	10
bluetooth earphone	OEB-H89D		BT Version: V5.0 BT Range: ≥10m Battery Capacity: 350mAh Standby Time: Up to 40 hours Play Time: Up to 10 hours (60% volume) Talk Time: Up to 12 hours	BT Version: V5.0 BT Range: ≥10m Battery Capacity: 350mAh Standby Time: Up to 40 hours Play Time: Up to 10 hours (60% volume) Talk Time: Up to 12 hours	Rp289,000	Rp499,000	9
Openear bluetooth	OPN-40D		Increased Situational Awareness Ergonomic & Secure Fit oraimo Signature Sound, Exclusive Bass Boost Algorithm Zero Hearing Damage Noise Reduction in Calls - ENC IP55 Dust &Water Proof	Increased Situational Awareness Ergonomic & Secure Fit oraimo Signature Sound, Exclusive Bass Boost Algorithm Zero Hearing Damage Noise Reduction in Calls - ENC IP55 Dust &Water Proof	Rp1,050,000	Rp1,999,000	10
Openear bluetooth	OPN-50D		Ultra Comfort Stay Aware, Stay Safe oraimo Signature Sound, Exclusive Bass Boost Algorithm Zero Hearing Damage 45-hr Long Playtime	Ultra Comfort Stay Aware, Stay Safe oraimo Signature Sound, Exclusive Bass Boost Algorithm Zero Hearing Damage 45-hr Long Playtime	Rp1,150,000	Rp2,199,000	10

Category	Model	Picture	Key Spec	Selling Points	DEALER Price	SRP	Packing
PALM	OBS-04S			<b>Powerful Bass</b> <b>5-hr Playtime</b> <b>IP67 Dust Water proof</b> <b>Havy Bass</b> <b>BT: Range : 10M</b> <b>Type : 3.5mm aux-in</b>	Rp145,000	Rp299,000	10
SoundFlow	OBS-72D		Size: 172*172*195mm BT Version: V5.0 BT Range: 15m Frequency Response: 50Hz-20KHz Battery Capacity: 6000mAh Play Time: 4-6 hours Speaker Output: 50W	Size: 172*172*195mm BT Version: V5.0 BT Range: 15m Frequency Response: 50Hz-20KHz Battery Capacity: 6000mAh Play Time: 4-6 hours Speaker Output: 50W	Rp799,000	Rp1,199,000	4
Others	OCM-12		Dimension: 88*140*175mm Mobile Width: 55-85mm Weight: 163g Material: ABS+PC	Dimension: 88*140*175mm Mobile Width: 55-85mm Weight: 163g Material: ABS+PC	Rp62,000	Rp99,000	18
	OF-M10		Max DPI: 1200 DPI Rated Voltage: 1.5V	Max DPI: 1200 DPI Rated Voltage: 1.5V	Rp89,000	Rp189,000	100
Smart Shaver	OPC-RS10		Rated Voltage: 5V Rated Power: 5W Charging Time: 1 hour	Rated Voltage: 5V Rated Power: 5W Charging Time: 1 hour	Rp125,000	Rp199,000	50
Smart Trimmer	OPC-TR10		Rated Voltage: 5V Rated Power: 5W Charging Time: 1.5 hour	Rated Voltage: 5V Rated Power: 5W Charging Time: 1.5 hour	Rp162,000	Rp299,000	30
Smart Watch	OSW-32		Screen Size: 1.75" TFT 320*385 BT Version: V5.1 Battery Capacity: 300 mAh Battery Type: Lithium Polymer Battery Standby Time: Up to 7 days Watch Size: 46.65*38.65*13.3mm Weight: 43g Material: ABS /PC/Silica Gel Waterproof: IP68	Screen Size: 1.75" TFT 320*385 BT Version: V5.1 Battery Capacity: 300 mAh Battery Type: Lithium Polymer Battery Standby Time: Up to 7 days Watch Size: 46.65*38.65*13.3mm Weight: 43g Material: ABS /PC/Silica Gel Waterproof: IP68	Rp640,000	Rp999,000	10
Smart Watch	OSW-23N		Screen Size: 1.32" TFT 360*360 BT Version: V5.0 Battery Capacity: 200mAh Battery Type: Lithium polymer battery Standby Time: Up to 7 days Watch Size: 48.4*45.8*10.45mm Weight: 54g Material: Al/PC/TPU Waterproof Rating: ATM3	Screen Size: 1.32" TFT 360*360 BT Version: V5.0 Battery Capacity: 200mAh Battery Type: Lithium polymer battery Standby Time: Up to 7 days Watch Size: 48.4*45.8*10.45mm Weight: 54g Material: Al/PC/TPU Waterproof Rating: ATM3	Rp640,000	Rp999,000	12
Smart Watch	OSW-18		Screen Size: 1.69" TFT 240*280 BT Version: V5.1 Battery Capacity: 290mAh Battery Type: Lithium Polymer Battery Battery Life: 7 Days	Screen Size: 1.69" TFT 240*280 BT Version: V5.1 Battery Capacity: 290mAh Battery Type: Lithium Polymer Battery Battery Life: 7 Days Material: ABS /PC/TPU	Rp350,000	Rp499,000	10
Smart Watch	OSW-20		Screen Size: 1.28" G+F TFT Resolution 240*240 BT Version: V4.2 Battery Capacity: 180mAh Battery Type: Lithium polymer battery Standby Time: Up to 20 days Watch Size: 42*42*13mm Strap Size: 215mm Material: Zinc Alloy/PC/TPU	Screen Size: 1.28" G+F TFT Resolution 240*240 BT Version: V4.2 Battery Capacity: 180mAh Battery Type: Lithium polymer battery Standby Time: Up to 20 days Watch Size: 42*42*13mm Strap Size: 215mm Material: Zinc Alloy/PC/TPU Waterproof: IP67	Rp455,000	Rp899,000	8